ELSEVIER

International Journal of Mass Spectrometry 230 (2003) 209

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 230

Asfandiarov, N.L., 41
Ast, T., xix

Bayliss, M.A., 85
Bergeron, D.E., 71
Blumenthal, T., 77
Bowers, M., vii
Bowers, M.T., 161
Bowie, J.H., 77
Brenton, A.G., 185
Brenton, G., xxiii
Bushnell, J.E., 161

Carpenter, C.J., 161
Castleman Jr., A.W., 71
Cooks, R.G., 151, xv

Dua, S., 77

Ericson, R.E., 75
Everall, N.J., 201
Fal'ko, V.S., 41
Fan, H., 11

Giblin, D., 175
Gologan, B., 151
Griffiths, I.W., 85
Gross, M.L., 175
Güsten, H., 135

Harris, F.M., 85
Hase, W.L., 57
Herman, Z., 113
Ho, W., 11
Hvelplund, P., 19

Jackson, A.T., 201
Jennings, K.R., 201
Jennings, R.C.K., 201
Jiang, Z.-Y., 33
Jin, Z.-H., 33
Jo, S.-C., 151
Jonathan, P., 185

Kazazić, S., 135
Kemper, P.R., 161
Kim, P.-S., 25, 65
Klasinc, L., 135
Kobe, J., 141
Kocjan, D., 141
Kralj, B., 135, 141
Krishna, P., 175
Kukhta, A.V., 41

Law, B., 45
Lee, W.-W., 25, 65
Lewis, D.M., 45
Liu, B., 19
Loos, J., 113
Lukin, V.G., 41

March, R.E., 123
Marsel, J., 135
Marshall, W.D., 45
McAnoy, A.M., 77
McCammon, M.G., 193
McGlynn, S.P., 135
McLafferty, F.W., xi
Meroueh, S.O., 57
Metcalfe, C.D., 123
Miao, X.-S., 123
Min, S.-K., 65
Mirza, S.P., 175

Nielsen, S.B., 19

Oh, C.-H., 25, 65
Parry, D.E., 85
Perry, J.K., 161
Popovič, A., 99
Prabhakar, S., 175
Pshenichnyuk, S.A., 41

Reid, S.A., 11
Ritchik, D.V., 41
Robinson, C.V., 193
Roithova, J., 113

Schröder, D., 113
Schwarz, H., 113
Scrivens, J.H., 201
Smith, D., 1
Sobott, F., 193
Song, K., 25, 65
Song, S.-H., 65
Španěl, P., 1
Srzić, D., 135

Thissen, R., 113
Tomita, S., 19

Vairamani, M., 175
van Koppen, P.A.M., 161

Wade, N., 151
Wang, J., 57
Wang, J.J., 45
Wang, T., 1
Wang, Y., 57
Weis, P., 161
Wu, H.-S., 33

Xu, X.-H., 33

Yang, M., 25, 65

doi:10.1016/S1387-3806(03)00427-5

ELSEVIER

International Journal of Mass Spectrometry 230 (2003) 211–213

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 230

Ablation
A time-of-flight mass spectrometric study of laser fluence dependencies in SnO_2 ablation: implications for pulsed laser deposited tin oxide thin films, 11
Accurate mass
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquindox, carried out at high mass accuracy using electrospray ionization, 123
Ammonium affinities
Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1α- and 1β-azido-pentofuranosyl derivates by kinetic method, 141
Ammonium-bound dimers and trimers
Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1α- and 1β-azido-pentofuranosyl derivates by kinetic method, 141
Angle
Calculation of the effect of collisional broadening on high-resolution translational energy loss spectra, 185
Anomeric pentofuranosyl azides
Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1α- and 1β-azido-pentofuranosyl derivates by kinetic method, 141
Association
A SIFT study of the reactions of H_2ONO^+ ions with several types of organic molecules, 1
Autodetachment
Long-lived negative ion formation by Alq_3, 41

Barium oxide
Mass spectrometric determination of the ionisation cross-sections of BaO, Ba, BaF_2 and BaI_2 by electron impact, 99
Boron clusters
Reactions of boron cluster anions: implication of site-specific chemical neutralization pathways, 71

Charge reversal
Does ionized diacetylene have a positive proton affinity?, 113
Charge stripping
Does ionized diacetylene have a positive proton affinity?, 113
Charge transfer
A SIFT study of the reactions of H_2ONO^+ ions with several types of organic molecules, 1
Chemometrics
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
CID
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
CID-MIKE spectra
Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1α- and 1β-azido-pentofuranosyl derivates by kinetic method, 141
Cluster reactivity
Reactions of boron cluster anions: implication of site-specific chemical neutralization pathways, 71
C_mN_2 charged clusters
Theoretical study of structures and stabilities of C_mN_2 (m = 1–14) ions, 33
Cobalt
Clustering and activation in reactions of $CoCp^+$ with hydrogen and methane, 161
Collision
Calculation of the effect of collisional broadening on high-resolution translational energy loss spectra, 185
Collision-induced dissociation
Electron loss and dissociation in high energy collisions between multiply charged oligonucleotide anions and noble gases, 19
Gas-phase dissociation pathways of a tetrameric protein complex, 193
Complex
Does the radical $Me_3O^\bullet$ exist in the gas phase? A joint experimental and theoretical study, 77
Cyclopentadienyl ligand
Clustering and activation in reactions of $CoCp^+$ with hydrogen and methane, 161
Cylindrical ion trap
Characteristics of cylindrical ion trap, 25

Decomposition
Does the radical $Me_3O^\bullet$ exist in the gas phase? A joint experimental and theoretical study, 77
Density functional theory
Does ionized diacetylene have a positive proton affinity?, 113
Clustering and activation in reactions of $CoCp^+$ with hydrogen and methane, 161
The kinetic method reveals secondary deuterium isotope effects on the proton affinity and gas-phase basicity of glycine and alanine methyl esters, 175
Deuterium isotope effect
The niobium and tantalum riddle: gas-phase monocation reactions with pyrene and pyrene-D_{10}, 135
DFT theory
Theoretical study of structures and stabilities of C_mN_2 (m = 1–14) ions, 33
Dications
Does ionized diacetylene have a positive proton affinity?, 113
DNA adducts
Fragmentation patterns of DNA–benzo(*a*)pyrene diol epoxide adducts characterized by nanoflow LC/quadrupole time-of-flight mass spectrometry, 45
Duty cycle
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65

Electroactive molecule
Long-lived negative ion formation by Alq_3, 41
Electron capture
Long-lived negative ion formation by Alq_3, 41

doi:10.1016/S1387-3806(03)00428-7

Electron loss
Electron loss and dissociation in high energy collisions between multiply charged oligonucleotide anions and noble gases, 19
Electrospray ionization
Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1α- and 1β-azido-pentofuranosyl derivates by kinetic method, 141
Energy
Does the radical $Me_3O^{\bullet}$ exist in the gas phase? A joint experimental and theoretical study, 77
Energy transfer
Efficiency of energy transfer in protonated diglycine and dialanine SID. Effects of collision angle, peptide ion size, and intramolecular potential, 57
Equation of motion
Characteristics of cylindrical ion trap, 25
ES
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquindox, carried out at high mass accuracy using electrospray ionization, 123

FTMS
The niobium and tantalum riddle: gas-phase monocation reactions with pyrene and pyrene-D_{10}, 135

Gas-phase reactions
The niobium and tantalum riddle: gas-phase monocation reactions with pyrene and pyrene-D_{10}, 135
Geometries
Theoretical study of structures and stabilities of C_mN_2 (m = 1–14) ions, 33
Glycine
The kinetic method reveals secondary deuterium isotope effects on the proton affinity and gas-phase basicity of glycine and alanine methyl esters, 175

High energy
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
Hydrogen
Clustering and activation in reactions of $CoCp^+$ with hydrogen and methane, 161

Ion stability
Characteristics of cylindrical ion trap, 25
Ion/surface collision
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
Ionisation cross-section
Mass spectrometric determination of the ionisation cross-sections of BaO, Ba, BaF_2 and BaI_2 by electron impact, 99
Ionization energy
Double-ionization energies of some *n*-alkyl isocyanate molecules; studies with double-charge-transfer spectrometry and ab initio propagator theory, 85
Isomer
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201

Kinetic energy
Double-ionization energies of some *n*-alkyl isocyanate molecules; studies with double-charge-transfer spectrometry and ab initio propagator theory, 85
Kinetic method
Characterization of anomeric differences of ammonium-bound monomeric and dimeric complex ions of 1α- and 1β-azido-pentofuranosyl derivates by kinetic method, 141
Knudsen cell
Mass spectrometric determination of the ionisation cross-sections of BaO, Ba, BaF_2 and BaI_2 by electron impact, 99

Laser
A time-of-flight mass spectrometric study of laser fluence dependencies in SnO_2 ablation: implications for pulsed laser deposited tin oxide thin films, 11
Long-lived negative ion
Long-lived negative ion formation by Alq_3, 41

Mass analysis
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65
Mass isolation
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65
Mass spectrometer
Characteristics of cylindrical ion trap, 25
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65
Mass spectrometry
Theoretical study of structures and stabilities of C_mN_2 (m = 1–14) ions, 33
Metal monocation ligation by PAHs
The niobium and tantalum riddle: gas-phase monocation reactions with pyrene and pyrene-D_{10}, 135
Metastable decomposition
Gas-phase dissociation pathways of a tetrameric protein complex, 193
Methane
Clustering and activation in reactions of $CoCp^+$ with hydrogen and methane, 161

Nanoflow LC/Q-TOF-MS
Fragmentation patterns of DNA–benzo(*a*)pyrene diol epoxide adducts characterized by nanoflow LC/quadrupole time-of-flight mass spectrometry, 45
Nitrosohydronium ions
A SIFT study of the reactions of H_2ONO^+ ions with several types of organic molecules, 1
Noncovalent interaction
Gas-phase dissociation pathways of a tetrameric protein complex, 193

Oligonucleotide
Electron loss and dissociation in high energy collisions between multiply charged oligonucleotide anions and noble gases, 19
N-oxides
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquindox, carried out at high mass accuracy using electrospray ionization, 123

PCA
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
Peptide ions
Efficiency of energy transfer in protonated diglycine and dialanine SID. Effects of collision angle, peptide ion size, and intramolecular potential, 57
Product ion
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
Propagator theory
Double-ionization energies of some *n*-alkyl isocyanate molecules; studies with double-charge-transfer spectrometry and ab initio propagator theory, 85
Protein complex
Gas-phase dissociation pathways of a tetrameric protein complex, 193

Proton affinities
Does ionized diacetylene have a positive proton affinity?, 113
Proton affinity
The kinetic method reveals secondary deuterium isotope effects on the proton affinity and gas-phase basicity of glycine and alanine methyl esters, 175
Proton transfer
A SIFT study of the reactions of H_2ONO^+ ions with several types of organic molecules, 1
Protonated nitrous acid
A SIFT study of the reactions of H_2ONO^+ ions with several types of organic molecules, 1

Radical anions
Electron loss and dissociation in high energy collisions between multiply charged oligonucleotide anions and noble gases, 19
Reactive scattering
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
Rectangular waveforms
Stability of ion motion in the quadrupole ion trap driven by rectangular waveform voltages, 65

Scattered
Calculation of the effect of collisional broadening on high-resolution translational energy loss spectra, 185
Secondary deuterium isotope effect
The kinetic method reveals secondary deuterium isotope effects on the proton affinity and gas-phase basicity of glycine and alanine methyl esters, 175
Self-assembled monolayer
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
SIFT
A SIFT study of the reactions of H_2ONO^+ ions with several types of organic molecules, 1
Sigma bond activation
Clustering and activation in reactions of $CoCp^+$ with hydrogen and methane, 161
Stability
Theoretical study of structures and stabilities of C_mN_2 (m = 1–14) ions, 33
Sugar
High energy collision-induced dissociation (CID) product ion spectra of isomeric polyhydroxy sugars, 201
Surface analysis
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
Surface-induced dissociation
Efficiency of energy transfer in protonated diglycine and dialanine SID. Effects of collision angle, peptide ion size, and intramolecular potential, 57
Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions, 151
Switching
A SIFT study of the reactions of H_2ONO^+ ions with several types of organic molecules, 1

Tandem mass spectrometry
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquindox, carried out at high mass accuracy using electrospray ionization, 123
Time-of-flight
A tandem mass spectrometric study of the *N*-oxides, quinoline *N*-oxide, carbadox, and olaquindox, carried out at high mass accuracy using electrospray ionization, 123
Trajectory simulations
Efficiency of energy transfer in protonated diglycine and dialanine SID. Effects of collision angle, peptide ion size, and intramolecular potential, 57
Transition metal
Clustering and activation in reactions of $CoCp^+$ with hydrogen and methane, 161

Vapour pressure
Mass spectrometric determination of the ionisation cross-sections of BaO, Ba, BaF_2 and BaI_2 by electron impact, 99